7. REFERENCES

[1] S. B. Sadati, M. Yazdani-Asrami, M. Taghipour and H. Vahedi (2010)," Economic Evaluation of Supplying Rural and Residential Areas Using Photovoltaic Systems in I. R. IRAN", Journal of Electrical Engineering: Theory and Application Vol.1-Iss.3, pp. 182-188.

[2] R. R. Avezov, J. S. Akhatov, and N. R. Avezova (2011), "A Review on Photovoltaic_ Thermal (PV–T) Air and Water Collectors", Applied Solar Energy, ISSN 0003_701X, Vol. 47, No. 3, pp. 169–183.

[3] Khaled Toufeka, Mourad Haddadib, and Ali Mkc (2011), "Experimental Comparison of Two Configurations of Hybrid Photovoltaic Thermal Collectors", Applied Solar Energy, 20 ISSN 0003_701X, Vol. 47, No. 3, pp. 189–194.

[4] Deepali Kamthania, Sujata Nayak, and G. N. Tiwari (2011)," Energy and Exergy Analysis of a Hybrid Photovoltaic Thermal Double Pass Air Collector", Applied Solar Energy, , ISSN 0003_701X, Vol. 47, No. 3, pp. 199–206.

[5] P. N. Nwosu, O. U. Oparaku, W. I. Okonkwo, G. O. Unachukwu, and D. Agbiogwu (2011)," Experimental Study of a Thermosyphon Solar Water Heater Coupled to a Fibre_ Reinforced Plastic (FRP) Storage Tank" Applied Solar Energy, ISSN 0003_701X, Vol. 47, No. 3, pp. 207–212.

[6] N. R. Avezova (2011),"Method to Determine the Mass Mean Temperature of Coolant in Flat Solar Collectors for Heating Liquid Coolant", Applied Solar Energy, ISSN 0003_701X, Vol. 47, No. 3, pp. 195–198.

[7] A. V. Karimov, D. M. Yodgorova, A. Z. Rakhmatov, and O. A. Abulkhaev (2011), "Methods to Decrease Losses of Energy Generated by Solar Electrical Modules", Applied Solar Energy, ISSN 0003_701X, Vol. 47, No. 3, pp. 166–168.

[8] A. Komilov (2011), "Improving the Design of a Photo converter with a Heat Sink Using Mathematical Simulation", Applied Solar Energy, ISSN 0003_701X, Vol. 47, No. 3, pp. 229–233.

[9] Sh. I. Klychev, S. A. Bakhramov, and A. I. Ismanzhanov (2011), “Distributed Non stationary Heat Model of Two_ Channel Solar Air Heater”, Applied Solar Energy, ISSN 0003_701X, Vol. 47, No. 3, pp. 234–236.

[10] A. S. Saidov, A. Yu. Leiderman, Sh. T. Manshurov, and A. A. Abakumov (2011), “Photosensitivity of Polycrystalline Silicon Fabricated by Fivefold Re melting of Metallurgical Silicon in a Solar Furnace and n–p Structures Made of this Material”, Applied Solar Energy, ISSN 0003_701X, Vol. 47, No. 3, pp. 237–238.

[11] Cesare Alippi (2008) “An Adaptive System for Optimal Solar Energy Harvesting in Wireless Sensor Network Nodes” IEEE Transaction on circuits and systems—I: Regular Paper, Vol. 55, No. 6.pp.1742-1750.

[12] Diary R. Sulaiman, Hilmi F. Amin, Ismail K. Said (2008). “Design and experience of grid connecting photovoltaic power system”, IEEE international conference on sustainable energy technologies ICSET 2008, pp. 607-610.

[13] Jonathan W. Kimball, Robert S. Balog (2009), “A System Design Approach for Unattended Solar Energy Harvesting Supply” IEEE Transaction on Power Electronics, Vol. 24, NO. 4, pp. 952-962.

[14] M. Rizwan, Majid Jamil, and D. P. Kothari (2012), “Generalized Neural Network Approach for Global Solar Energy Estimation in India” IEEE Transaction on Sustainable Energy, Vol.3, NO. 3, pp. 576-584.

[15] Peter Kosmatin, Marko Petkovšek, Danijel Vončina (2010), “High-efficiency DC/DC converter for low-voltage applications” Elektrotehniški vestnik Vol.77 No. (2-3): pp.109-113.

[16]Juan A. Lazzús, Alejandro A. Pérez Ponce, and Julio Marín (2011), “Estimation of Global Solar Radiation over the City of La Serena (Chile) Using a Neural Network1” Applied Solar Energy ISSN 0003_701X, , Vol. 47, No. 1, pp. 66–73.

[17] Natarajan Pandiarajan, Ramabadran Ramaprabha, and Ranganath Muthu (2012), "Application of Circuit Model for Photovoltaic Energy Conversion System" Hindawi Publishing Corporation International Journal of Photo energy Volume 2012, Article ID 410401, doi:10.1155/2012/410401.

[18] N.A. Keskar, and G.A. Rincon-Mora (2004), "Self-stabilizing, integrated, hysteretic boost DC-DC converter", IEEE industrial electronics conference IECON-04, pp. 586-591.

[19] A. Prodic, D. Maksimovic, and R. W. Erickson (2001), "Design and implementation of a digital PWM controller for a high-frequency switching DC-DC power converter", The 27th annual conference of the IEEE industrial electronics society IECON'01.

[20] F. Baronti, P. C. Adell, W. T. Holman, R. D. Schrimpf, L. W. Massengill, A. Witulski, and M. Ceschia (2004.), "DC/DC switching power converter with radiation hardened digital control based on SRAM FPGAs", 2004 MAPLD international conference.

[21] B. J. Patella, A. Prodic,A. Zirger, D. Maksimovic (2003), "High-frequency digital PWM controller IC for DC-DC converters", IEEE transactions on power electronics, Vol.18, Issue-1, pp 438 – 446.

[22] R. N. Torah, M. J. Tudor, K. Patel, I. N. Garcia, and S. P. Beeby (2007), "Autonomous low power micro system powered by vibration energy harvesting," in Proc. IEEE Sens. Conf., Oct. 28-31, pp. 264–267.

[23] K. Agbossou, M. Kolhe, J. Hamelin, T. K. Bose (2004), "Performance of a Stand-Alone Renewable Energy System Based on Energy Storage as Hydrogen," IEEE Transactions on Energy Conversion, vol. 19, no. 3, pp. 312-320.

[24] C. A. Gueymard (2008), "REST2: High performance solar radiation model for cloudless sky irradiance, illuminance, and photo synthetically active radiation—Validation with benchmark dataset," Solar Energy, vol. 82, pp. 272–285.

[25] M. Rizwan, M. Jamil, and D. P. Kothari (2010), "Solar energy estimation using REST Model for PV-ECS based distributed power generating system," Solar Energy Mater. Solar Cells, vol. 94, pp. 1324–1328.

[26] S. Kaplanis and E. Kaplani (2010), “Stochastic prediction of hourly global solar radiation for Patra Greece,” Appl. Energy, vol. 87, pp. 3748–3758.

[27] S. Kaplanis and E. Kaplani (2007), “A model to predict expected mean and stochastic hourly global solar I (h;) values,” Renew. Energy, vol.32, pp. 1414–1425.

[28] S.N.Kaplanis (2006), “New methodologies to estimate the hourly global solar radiation; comparison with existing models,” Renew. Energy, vol. 31, pp. 781–790.

[29] J. R. Tsai, T. F. Wu, C. Y. Wu, Y. M. Chen, M. C. Lee (2008),“Interleaving Phase Shifters for Critical-Mode Boost PFC,” *IEEE Transactions On Power Electronics*, vol.23, no. 3.

[30] R. Aliev, M. Aliboev, O. Bazarov, and B. Tulanova (2011), “The Use of Photoelectric Cells as Sources of Power for Anti fly Biophysical Devices”, Applied Solar Energy, ISSN 0003_701X, Vol. 47, No. 3, pp. 225–228.

[31]. Mostafa Kheshtia, b, Majid Na Yeripoura, and M. D. Majidpour (2011), “Fuzzy Dispatching of Solar Energy in Distribution System”, Applied Solar Energy, ISSN 0003_701X, Vol. 47, No. 2, pp. 105–111.

[32] Martin A. Green (2007), “Thin-film solar cells: review of materials, technologies and commercial status”, Springer Science +Business Media, J Mater Sci: Mater Electron 18:S15–S19 DOI 10.1007/s10854-007-9177-9.

[33] H. R. Enslin, M. S. Wolf, D. B. Snyman and W. Swiegers (1997.), “Integrated photovoltaic maximum power point tracking converter,” IEEE Trans. On Industrial Electronics, Vol 44, no. 6, pp. 769-773.

[34] D. C. Martins and R. Demontri, “Grid connected PV system using two energy processing stages,” Photovoltaic Specialists Conf., pp. 1649-1652.

[35] Ned Mohan, Tore M. Undeland, and Williams P. Robbins (2003), “Power Electronics: Converters, Applications, and Design”, 3rd ed., John Wiley &Sons: USA, pp. 161-197.
s

[36] B. M Hasaneen, and Adel A. Elbaset Mohammed (2008), "Design and simulation of DC/DC boost converter," Power System Conf. Middle-East, pp. 335-340.

[37] M. Orabi, A. Abou-Alfotouh, A. Lotfi (2008), "Coss capacitance contribution to synchronous buck converter losses," Power Electronics Specialists Conference, pp. 666 – 672.

[38] Z. Qun, G. Stojcic (2007), "Characterization of Cdv/dt Induced Power Loss in Synchronous Buck DC–DC Converters," IEEE Transactions on Power Electronics, vol. 22, no. 4, pp. 1508 – 1513.

[39] Halimeh Rashidi, Saeed Niazi and Jamshid Khorshidi (2012), "Adaptive Critic Based Neuro-Fuzzy Tracker for Improving Conversion Efficiency in PV Solar Cells", Research Journal of Applied Sciences, Engineering and Technology, ISSN: 2040-7467, vol. 4, no.15, pp.2316-2322.

[40] Campoccia, A.; Dusonchet, L.; Telaretti, E.; Zizzo G (2009). "Comparative analysis of different supporting measures for the production of electrical energy by solar PV and Wind systems: Four representative European cases". Solar Energy journal, Vol.83, pp.287–297.

[41] Prakash, J(1994), "Transient analysis of a photovoltaic-thermal solar collector for co-generation of electricity and hot air/ water". Energ. Convers. Manag., Vol.35, pp.967-972.

[42] Brinkworth, B.J., Cross, B.M.; Marshall, R.H.; Yang, H(1997), "Thermal regulation of photovoltaic cladding". Sol. Energ., Vol.61, pp.169-178.

[43] Hegazy, A.A(2000). "Comparative study of the performance of four photovoltaic / thermal solar air collectors". Energ. Convers. Manag., Vol.41, No.8, pp. 861-881.

[44] Dr. B. J. Ranganath (1984), "Metal cutting and tool design vikas publications", New Delhi.

[45]C. A. Ayre, and I. Barbi (1996), "CCM operation analysis of a family of converters", 27th Annual IEEE power electronics specialists conference PESC 96, pp. 986-992.

[46] Dr. B. J. Ranganath (2010), "Thermal Metal cutting processes", I.K.International publications, New Delhi.